Forest Ecology and Management, 40 (1991) 325–327
Elsevier Science Publishers B.V., Amsterdam

Author Index

Abt, R.C. *see* Swindel, B.F. et al.
Arce, P. and Balboa, O.
Seasonality in rooting of *prosopis chilensis* cuttings and in vitro micropropagation 163
Arpin, P., *see* Beniamino, F. et al.
Balboa, O., *see* Arce, P. and Balboa, O.
Bartle, G.A., *see* Farrington, P. and Bartle, G.A.
Bell, D.T., *see* van der Moezel, P.G. et al.
Beniamino, F., Ponge, J.F. and Arpin, P.
Soil acidification under the crown of oak trees. I. Spatial distribution 221
Binkley, D. and Valentine, D.
Fifty-year biogeochemical effects of green ash, white pine, and Norway spruce in a replicated experiment 13
Borg, H. and Stoneman, G.L.
Long-term implications for streamflow from changes in vegetation cover and stand height in regenerating karri stands in south-west Western Australia 65
Burman, U., Kathju, S., Garg, B.K. and Lahiri, A.N.
Water management of transplanted seedlings of *Azadirachta indica* in arid areas 51
Colangeli, A.M. and Owens, J.N.
Effects of accelerated pollen-cone development on pollen cytology and fertilizing potential in western hemlock (*Tsuga heterophylla*) 151
Correll, R.L., *see* Leech, J.W. et al.
Cunningham, R.B., *see* Lindenmayer, D.B. et al.
Erickson, V.J., *see* Sandquist, R.E. and Erickson, V.J.
Farrington, P. and Bartle, G.A.
Recharge beneath a Banksia woodland and a *Pinus pinaster* plantation on coastal deep sands in south Western Australia 101
Felker, P., *see* Gathaara, G.N. et al.
Fisher, R.F., *see* Javid, Z. and Fisher, R.F.
Garg, B.K., *see* Burman, U. et al.
Gathaara, G.N., Glumac, E.L. and Felker, P.
Three-year growth studies of *Leucaena leucocephala* (1094) and *L. pulverulenta* (1001) at two spacings in Texas 189
Geburek, Th., *see* Krusche, D. and Geburek, Th.
Glumac, E.L., *see* Gathaara, G.N. et al.
Hadebe, W., *see* Wright, J.A. et al.
Haines, B., *see* Montagnini, F. et al.
Ho, R.H.
Promotion of cone production in potted black-spruce grafts, using gibberellins, heat-treatment and root-pruning 261
Horne, R. *see* Wilkins, A.P. and Horne, R.
Javid, Z. and Fisher, R.F.
Nitrogen mineralization in irrigated plantations of shisham and mulberry 209

Kathju, S., *see* Burman, U. et al.
Keys, R.N., *see* Tajchman, S.J. et al.
Kosuri, S.R., *see* Tajchman, S.J. et al.
Krusche, D. and Geburek, Th.
Conservation of forest gene resources as related to sample size (Short Communication) 145
Kuulavainen, T.
Relationships between crown projected area and components of above-ground biomass in Norway spruce trees in even-aged stands: Empirical results and their interpretation 243
Lahiri, A.N., *see* Burman, U. et al.
Lederle, K.A. and Mroz, G.D.
Nutrient status of bracken (*Pteridium aquilinum*) following whole-tree harvesting in Upper Michigan 119
Leech, J.W., Correll, R.L. and Myint, A.K.
Use of principal-coordinate analysis to assist in aggregating species for volume-table construction 279
Lindenmayer, D.B., Cunningham, R.B., Tanton, M.T., Smith, A.P. and Nix, H.A.
Characteristics of hollow-bearing trees occupied by arboreal marsupials in the montane ash forests of the Central Highlands of Victoria, south-east Australia 289
Loveless, Jr., R.S., *see* Rustagi, K.P. and Loveless, Jr., R.S.
Montagnini, F., Haines, B. and Swank, W.T.
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory forest stands in the southern Appalachians, U.S.A. 199
Mroz, G.D., *see* Lederle, K.A. and Mroz, G.D.
Myint, A.K., *see* Leech, J.W. et al.
Newton, P.F. and Smith, V.G.
Volume growth relationships within mixed black-spruce/balsam-fir stands 131
Nix, H.A., *see* Lindenmayer, D.B. et al.
Novotný, J.
Effect of treatment using nuclear polyhedrosis virus on *Lymantria dispar* in field experiments in central Slovakia 271
Osemeobo, G.J.
A financial analysis of forest land use in Bendel, Nigeria 233
Owens, J.N., *see* Colangeli, A.M. and Owens, J.N.
Pearce-Pinto, G.V.N., *see* van der Moezel, P.G. et al.
Ponge, J.F., *see* Beniamino, F. et al.
Rustagi, K.P. and Loveless, Jr., R.S.
Improved cubic volume prediction using a new measure of form factor 1
Sandquist, R.E. and Erickson, V.J.
Carry-over effects of trunk-implanted acephate for protecting Douglas fir from western-spruce-budworm defoliation 87
Shaw, M.J.P., *see* Wright, J.A. et al.
Smith, A.P., *see* Lindenmayer, D.B. et al.
Smith, J.E., *see* Swindel, B.F. et al.
Smith, V.G., *see* Newton, P.F. and Smith, V.G.
Stoneman, G.L., *see* Borg, H. and Stoneman, G.L.
Swank, W.T., *see* Montagnini, F. et al.
Swindel, B.F., Smith, J.E. and Abt, R.C.
Methodology for predicting species diversity in managed forests 75

Tajchman, S.J., Keys, R.N. and Kosuri, S.R.
Comparison of pH, sulfate and nitrate in throughfall and stemflow in yellow-poplar and oak stands in north-central West Virginia 137
Tanton, M.T., *see* Lindenmayer, D.B. et al.
Valentine, D., *see* Binkley, D. and Valentine, D.
van der Moezel, P.G., Pearce-Pinto, G.V.N. and Bell, D.T.
Screening for salt and waterlogging tolerance in *Eucalyptus* and *Melaleuca* species 27
Vose, J.M., and White, A.S.
Biomass response mechanisms of understory species the first year after prescribed burning in an Arizona ponderosa-pine community 175
White, A.S., *see* Vose, J.M., and White, A.S.
Wilkins, A.P. and Horne, R.
Wood-density variation of young plantation-grown *Eucalyptus grandis* in response to silvicultural treatments 39
Wright, J.A., Shaw, M.J.P. and Hadebe, W.
Genotype × environment interaction in pine hybrid families at four sites in South Africa 98

Forest Ecology and Management, 40 (1991) 329–332
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Abies
Biogeochemical effects of ash, pine, and spruce 13
Volume growth relationships in mixed spruce/fir 131
Arid regions, *see* Water regime
Ash, *see* Fraxinus
Azadirachta
Water management of transplanted seedlings of *Azadirachta indica* in arid areas 51
Biogeochemistry, *see* Structure and function, ecosystem
Bracken, *see* Pests, weeds and diseases
Budworm, *see* Pests, weeds and diseases
Burning, *see* Management practices
Carya
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory stands 199
Conservation
Conservation of forest gene resources as related to sample size 145
Dalbergia
Nitrogen mineralization in irrigated shisham and mulberry 209
Density, wood, *see* Structure and function, organism
Douglas-fir, *see Pseudotsuga*
Economics
Financial analysis of forest land use in Nigeria 233
Environmental conditions
Salt and waterlogging tolerance in *Eucalyptus* and *Melaleuca* 27
Genotype×environment interaction in pine hybrids 93
Recharge beneath a banksia woodland and a *Pinus* plantation on coastal deep sands 101
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory stands 199
Soil acidification under oak. I. Spatial distribution 221
Eucalyptus
Salt and waterlogging tolerance in *Eucalyptus* and *Melaleuca* 27
Wood-density variation of *Eucalyptus grandis* in response to silviculture 39
Implications for streamflow from changes in vegetation cover and stand height in karri 65
Characteristics of hollow-bearing trees occupied by arboreal marsupials 289
Fauna
Characteristics of hollow-bearing trees occupied by arboreal marsupials 289
Fraxinus
Biogeochemical effects of ash, pine, and spruce 13
Gene resources
Conservation of forest gene resources as related to sample size 145
Genotype×environment interaction
Genotype×environment interaction in pine hybrids 93

Gibberellin, *see* Growth substances
Growth substances
Promotion of cone production in black-spruce using gibberellins, heat-treatment and root-pruning 261
Harvesting, *see* Management practices
Heat treatment, *see* Management practices
Hemlock, *see Tsuga*
Hickory, *see Carya*
Insecticides, *see* Pests, weeds and diseases
Irrigation, *see* Water regime
Karri, *see Eucalyptus*
Leucaena
Growth studies of *Leucaena* at two spacings 189
Liriodendron
Comparison of pH, sulfate and nitrate in throughfall and stemflow in yellow-poplar and oak 137
Locust, *see Robinia*
Lymantria, see Pests, weeds and diseases
Management practices
Wood-density variation of *Eucalyptus grandis* in response to silviculture 39
Implications for streamflow from changes in vegetation cover and stand height in karri 65
Nutrient status of *Pteridium* following whole-tree harvesting 119
Effects of accelerated pollen-cone development on pollen cytology and fertilizing potential in *Tsuga* 151
Seasonality in rooting of *prosopis* cuttings and in-vitro micropropagation 163
Biomass response of understory species after burning ponderosa-pine 175
Growth studies of *Leucaena* at two spacings 189
Promotion of cone production in black-spruce using gibberellins, heat-treatment and root-pruning 261
Melaleuca
Salt and waterlogging tolerance in *Eucalyptus* and *Melaleuca* 27
Micropropagation, *see* Reproduction
Modelling
Cubic volume prediction using a new measure of form factor 1
Methodology for predicting species diversity in managed forests 75
Volume growth relationships in mixed spruce/fir 131
Financial analysis of forest land use in Nigeria 233
Relationships between crown projected area and aboveground biomass in even-aged Norway spruce: Empirical results 243
Use of principal-coordinated analysis in volume-table construction 279
Morus
Nitrogen mineralization in irrigated shisham and mulberry 209
Mulberry, *see Morus*
Nitrogen, *see* Nutrient dynamics
Nuclear polyhedrosis virus, *see* Pests, weeds and diseases
Nutrient dynamics
Nutrient status of *Pteridium* following whole-tree harvesting 119
Comparison of pH, sulfate and nitrate in throughfall and stemflow in yellow-poplar and oak 137
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory stands 199

Nitrogen mineralization in irrigated shisham and mulberry 209
Pests, weeds and diseases
Trunk-implanted acephate for protecting Douglas fir from western-spruce-budworm 87
Nutrient status of *Pteridium* following whole-tree harvesting 119
Effect of nuclear polyhedrosis virus on *Lymantria* 271
Picea
Biogeochemical effects of ash, pine, and spruce 13
Volume growth relationships in mixed spruce/fir 131
Relationships between crown projected area and aboveground biomass in even-aged Norway spruce: Empirical results 243
Promotion of cone production in black-spruce using gibberellins, heat-treatment and root-pruning 261
Pinus
Biogeochemical effects of ash, pine, and spruce 13
Methodology for predicting species diversity in managed forests 75
Genotype×environment interaction in pine hybrids 93
Recharge beneath a banksia woodland and a *Pinus* plantation on coastal deep sands 101
Biomass response of understory species after burning ponderosa-pine 175
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory stands 199
Pollen, *see* Reproduction
Poplar, yellow, *see* Liriodendron
Prediction, yield, *see* Modelling
Principal-coordinate analysis, *see* Modelling
Prosopis
Seasonality in rooting of *prosopis* cuttings and in-vitro micropropagation 163
Pruning, *see* Management practices
Pseudotsuga
Cubic voume prediction using a new measure of form factor 1
Trunk-implanted acephate for protecting Douglas fir from western-spruce-budworm 87
Quercus
Comparison of pH, sulfate and nitrate in throughfall and stemflow in yellow-poplar and oak 137
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory stands 199
Soil acidification under oak. I. Spatial distribution 221
Reproduction
Effects of accelerated pollen-cone development on pollen cytology and fertilization potential in *Tsuga* 151
Seasonality in rooting of *prosopis* cuttings and in-vitro micropropagation 163
Promotion of cone production in black-spruce using gibberellins, heat-treatment and root-pruning 261
Robinia
Soil-solution chemistry in black locust, pine/mixed-hardwoods and oak/hickory stands 199
Salinity, *see* Environmental conditions
Sampling techniques
Conservation of forest gene resources as related to sample size 145

Shisham, *see Dalbergia*
Silviculture, *see* Management practices
Soil conditions, *see* Environmental conditions
Spacing, *see* Management practices
Spruce, *see Abies*
Stemflow, *see* Water regime
Structure and function, ecosystem
Biogeochemical effects of ash, pine, and spruce 13
Implications for streamflow from changes in vegetation cover and stand height in karri 65
Biomass response of understory species after burning ponderosa-pine 175
Relationships between crown projected area and above-ground biomass in even-aged Norway spruce: Empirical results 243
Structure and function, organism
Wood-density variation of *Eucalyptus grandis* in response to silviculture 39
Throughfall, *see* Water regime
Tsuga
Effects of accelerated pollen-cone development on pollen cytology and fertilizing potential in *Tsuga* 151
Understory, *see* Structure and function, ecosystem
Variety trials
Salt and waterlogging tolerance in *Eucalyptus* and *Melaleuca* 37
Volume tables, *see* Modelling
Water regime
Salt and waterlogging tolerance in *Eucalyptus* and *Melaleuca* 27
Water management of transplanted seedlings of *Azadirachta indica* in arid areas 51
Recharge beneath a banksia woodland and a *Pinus* plantation on coastal deep sands 101
Comparison of pH, sulfate and nitrate in throughfall and stemflow in yellow-poplar and oak 137